

Sortimo®



Intelligent Mobility –
the new L-BOXX

L-BOXX®

Clickable.
Stackable.
Compatible.

Mobile logistics
in four sizes.
The L-BOXX.



Easy to connect

You don't need to activate a complicated locking system to connect the L-BOXXes together. Just simply locate them on top of each other and they click together automatically.



Unlock

To separate the L-BOXXes from each other again, simply press the button on either side of the boxes – the L-BOXX detaches automatically.



Separate and lift off

As soon as the interlock has been released, you can lift off the individual L-BOXX or the L-BOXX stack easily.

L-BOXX®



Mobility has a new dimension


NEW

Revolutionise your working efficiency

The new Sortimo L-BOXXes are the ideal solution for all mobile trade professionals and service personnel. They meet every requirement and can be extended to form the smallest mobile in-vehicle equipment unit from Sortimo.

You soon won't want to do without the L-BOXXes as your daily companion on the road.

The superior ergonomics and ease of integration into the in-vehicle system from the market leader Sortimo make the L-BOXX a unique solution on the market.



Sortimo®



Perfect comfort

Simply flip the tote handle out of its recess for transport. The L-BOXX can be carried safely and easily using the ergonomically shaped handle.



Side handles

The L-BOXXes can also be transported comfortably by the side handles located above the click mechanism.



Interlocked transport

The click mechanism is laid out for high loads, meaning that several L-BOXXes can be transported when connected securely to the top L-BOXX.



Organisation suddenly becomes portable

Get a handle on it!





Your mobile companion

You are inundated with assignments and changing locations? You have to lug tools, small parts and spare parts from the vehicle to the customer and back again? You have a number of different containers in use? You want to stow away your valuable tools, power tools and equipment securely? No problem!

The L-BOXX family always has the size you need. And when clicked together one underneath the other, you have a variable system all of a piece.



L-BOXX 102

Ref. No. 121014674

Exterior dimensions (WxDxH)
442 x 357 x 117 mm

Interior dimensions (WxDxH)
378 x 313 x 71 mm

Weight
2.1 kg



L-BOXX 136

Ref. No. 121014675

Exterior dimensions (WxDxH)
442 x 357 x 151 mm

Interior dimensions (WxDxH)
378 x 311 x 107 mm

Weight
2.2 kg



L-BOXX 238

Ref. No. 121014676

Exterior dimensions (WxDxH)
442 x 357 x 253 mm

Interior dimensions (WxDxH)
378 x 306 x 209 mm

Weight
2.8 kg



L-BOXX 374

Ref. No. 121014677

Exterior dimensions (WxDxH)
442 x 357 x 389 mm

Interior dimensions (WxDxH)
378 x 296 x 345 mm

Weight
3.4 kg

L-BOXX®



Your workstation is always with you

**With the L-BOXX accessories
you'll get where you're going**

The practical and collapsible aluminium caddy and the L-BOXX roller frame make you independent. Stack the L-BOXXes on the caddy or on the roller frame for safe and easy transport.

You can now take everything with you on site. Leave your competitors behind you!



Sortimo®



Collapsible Alu-Caddy

Ref. No. 801014905

Exterior dimensions (WxDxH)	Weight
Open: 490 x 490 x 1090 mm	5.2 kg
Folded: 490 x 60 x 760 mm	

With a load-bearing capacity of 125 kg, the aluminium caddy makes transporting L-BOXXes to the site of operations child's play – even over rough terrain or up and down high curbs and steps. It is also ideal for the transport of other bulky items. And its space requirement when folded is extremely modest.

Note: to prevent L-BOXXes or other goods from slipping, we advise use of the caddy restraint strap.

Caddy restraint strap Ref. No. 121015440



L-BOXX roller frame

Ref. No. 121015412

Exterior dimensions (WxDxH)	Weight
646 x 492 x 184 mm	3.8 kg

When fixed on the roller frame, the L-BOXXes can be transported on site as a complete unit. Made of high-strength plastic, the L-BOXX roller frame is extremely lightweight, and with a loading capacity of 125 kg, also extremely stable. Two of the four castors are equipped with a wheel lock.



Stable under load

Because of its stable construction, the L-BOXX is also suitable for use as a foot stool, if no ladder is to hand. The lid can take a load of up to 100 kg.



Ref. No. 121015518

The worktop

The 19-mm-thick Multiplex worktop can be fixed without tools on every L-BOXX and makes a stable work surface for jobs such as drilling and sawing, etc. The worktop can be split into two parts and can thus be stowed neatly in the L-BOXX.



Ref. No. 121015436

The seat cushion

The comfortable seat cushion made of foamed material fits on all L-BOXXes and offers a handy seat for those short breaks between work sessions. The foam cushion can be split into two parts and can thus be stowed neatly in the L-BOXX.



The adapter panel

The adapter panel is available in two heights (612 and 918 mm) and provides the basis for locating your tower of L-BOXXes. The adapter panel can be fixed to the side panel or bulkhead of your commercial vehicle and secures the L-BOXXes in place against slipping during the journey.



The adapters

The adapters are located on the rear side of the L-BOXX and are fixed in place with a screw. The L-BOXXes can now be positioned securely in the adapter panel.




Click into place

Regardless of which L-BOXX the locating adapters are fixed to – they dock in any position in the recesses on the adapter panel. It is doubtful you'll find a quicker method of securing a box system in your vehicle! We recommend the use of 2 pairs of locating adapters per L-BOXX tower.

The perfect connection

With the optional adapters and the adapter panel, the L-BOXX transforms into the smallest mobile in-vehicle equipment unit from Sortimo.

The adapters always engage in the recesses on the adapter panel – regardless of which L-BOXX they are located on or what position they are in! You'd be hard pushed to find a quicker method of securing a box system in your utility vehicle! The optimum link between safety and intelligent mobility.



L-BOX®




Always open for your ideas

We pay attention to what's inside

More important than the smart outer shell is what's inside. Bearing this in mind, we developed a huge number of accessory products which cover just about every requirement.

From sets of inset boxes, vacuum-formed parts, inserts made of wood or foam with cut-outs and file racks, we have everything you need to make sure your contents are stowed safely and neatly.

Whatever your needs are – you can select individual components or pre-configured sets.



Sortimo®



Safe stowage

The L-BOXXes make it easy for you. With sets of inset boxes and a tool panel, everything remains securely in place and is always to hand.



Elegant presentation

Protect your valuable spare parts or samples by means of a foam insert with cut-outs. This pre-perforated material can be adapted easily to accommodate your workpiece.



Easy transport

The L-BOXX is open for your transport ideas – for example, for a complete tool insert or a suspension file rack. Transport everything safely from A to B and back again.



Transport safely. Present elegantly.



Wooden insert



Vacuum-formed inserts



Pre-cut foam inserts



Cartridge holder inserts



The new L-BOXX – really easy to get!

The new L-BOXX is available right from the word go with a wide range of accessories. Take the opportunity and order the L-BOXXes, suitable accessories or pre-configured sets fast and easy with the pre-printed fax forms at the end of this brochure.

In a hurry? You can phone your order in under the number +49 8291 850-0.



Accessories for all L-BOXXes



Collapsible Alu-Caddy

ZCAKL Ref. No. 801014905
 Dimensions (WxDxH): 490 x 490 x 1090 mm
 Folded 490 x 60 x 760 mm
 Collapsible aluminium caddy for transporting the L-BOXXes or other bulky items. With telescopic handle and two large wheels with hard-rubber tyres. Max. load: 125 kg




Weight: 5.2 kg



Adapter panel 20-36

LB AP 20-36 Ref. No. 121014891
 Dim. (WxDxH): 462 x 30 x 612 mm
 Steel plate, weight 3.9 kg. The adapter panel is attached to the side wall of the vehicle and is designed for secure location of the L-BOXXes.



Adapter panel 20-54

LB AP 20-54 Ref. No. 121014892
 Dim. (WxDxH): 462 x 30 x 918 mm
 Steel plate, weight 5.7 kg. The adapter panel is attached to the side wall of the vehicle and is designed for secure location of the L-BOXXes.



Caddy restraint strap

LB FG ACK Ref. No. 121015440
 Restraint strap with click fastener. Ensures safe transport of the L-BOXXes on the caddy. Includes an integrated bag for small parts.



Adapters

LB EHA Ref. No. 121014679
 2 locating adapters made of plastic including all fixings. Ensures secure location of the L-BOXX on the adapter panel.



L-BOXX roller frame

LB ROLL Ref. No. 121015412
 Dim. (WxDxH): 646 x 492 x 184 mm
 The L-BOXX can simply be clicked onto the roller frame. Made of plastic with four castors, two with wheel lock. Weight 3.8 kg. Max. load: 100 kg




Worktop for cover

LB APD Ref. No. 121015518
 Stable 19-mm-thick Multiplex worktop suitable for mounting on any L-BOXX without tools. Can be split into two pieces for transport in the L-BOXX. Weight: 2.0 kg



Roller frame restraint strap

LB FG ROLL Ref. No. 121015519
 Restraint strap with clamp buckle provides additional safety when transporting L-BOXXes or other goods on your L-BOXX roller frame. The ends of the strap are fastened to the roller frame.



Seat cushion for cover

LB SPD Ref. No. 121015436
 Foam seat cushion, fits on all L-BOXX covers, 25 mm thick. Can be split into two pieces for transport in the L-BOXX.



Accessories for L-BOXX 102



Small components insert 5 troughs

LB TE 5-102 Ref. No. 121014900
 Dim. (WxDxH): 405 x 315 x 62 mm
 Insert for small components made of vacuum-formed plastic with 5 troughs.




Small components insert 8 troughs

LB TE 8-102 Ref. No. 121014901
 Dim. (WxDxH): 405 x 315 x 62 mm
 Insert for small components made of vacuum-formed plastic with 8 troughs.




Small components insert 12 troughs

LB TE 12-102 Ref. No. 121014904
 Dim. (WxDxH): 405 x 315 x 62 mm
 Insert for small components made of vacuum-formed plastic with 12 troughs.



Foam insert for burner nozzles

LB LSB 102 Ref. No. 121015609
 Dim. (WxDxH): 405 x 314 x 24.5 mm
 Foam insert to accommodate 149 burner nozzles, resistant against heating oil.




Pre-cut foam insert 102

LB RS 102 Ref. No. 121015281
 Dim. (BxHxT): 405 x 315 x 50 mm
 Pre-cut foam insert for L-BOXX 102. Individual adaptation of the insert makes the safe transport of valuable tools, etc. possible.



Labelling set 102

LB BS 102 Ref. No. 121014984
 Dim. (LxH): ca. 297 x 210 mm (DIN A4)
 1 DIN A4 template with 14 self-adhesive perforated labels for L-BOXX 102.



Lid insert

LB DE102 Ref. No. 121014678
 Dim. (WxDxH): 405 x 30 x 333 mm
 The lid insert made of high-resistance foam protects the contents of your insert boxes or vacuum-formed inserts against unintentional migration during transport.



Tool board 1 for lid

LB WK1 Ref. No. 121015615
 Dim. (WxDxH): 380 x 20 x 315 mm
 For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Document panel 1 for lid

LB DK1 Ref. No. 121015512
 Dim. (WxDxH): 380 x 20 x 315 mm
 The document board is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Transparent lid pouch A5


LB KSTD A5 Ref. No. 121015438
 Dim. (WxDxH): 335 x 2 x 206 mm
 Transparent pouch to accommodate operating instructions/manuals on the inside of the cover up to size DIN A5.

The labelling set with 14 labels for L-BOXX 102 offers a neat and visually attractive possibility of labelling your different L-BOXXes. The labels are weatherproof and can be printed with a felt-tip pen or laser printer. If you want to computerise the printing process, we offer a labelling template that can be downloaded free of charge:
www.sortimo.com/software



Accessories for L-BOXX 102


Attention: To protect the contents of inset boxes and vacuum-formed inserts against unintentional migration during transport, you will need the lid insert made of high-resistance foam (see p. 23).



Inset box set A3

LB IBS A3 Ref. No. 51015300


- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 30 x inset boxes A3, red



Inset box set B3

LB IBS B3 Ref. No. 51015301


- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 15 x inset boxes B3, yellow



Inset box set BC3

LB IBS BC3 Ref. No. 51015302

- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 3 x inset boxes B3, yellow
- ▶ 6 x inset boxes C3, blue



Inset box set CD3

LB IBS CD3 Ref. No. 51015303

- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 3 x inset boxes C3, blue
- ▶ 3 x inset boxes D3, green



Inset box set D3

LB IBS D3 Ref. No. 51015304

- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 5 x inset boxes D3, green



Inset box set F3

LB IBS F3 Ref. No. 51015306

- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 7 x inset boxes F3, orange
- ▶ 1 x inset boxes B3, yellow



Inset box set G3

LB IBS G3 Ref. No. 51015307


- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 2 x inset boxes G3, dark green
- ▶ 2 x inset boxes B3, yellow
- ▶ 2 x inset boxes A3, red



Inset box set H3

LB IBS H3 Ref. No. 51015299

- ▶ 2 x inset boxes U3, grey incl. 6 dividers
- ▶ 2 x inset boxes A3, red
- ▶ 3 x inset boxes B3, yellow
- ▶ 2 x inset boxes C3, blue
- ▶ 1 x inset box D3, green
- ▶ 2 x inset boxes F3, orange



Inset box U3

IB U3 Ref. No. 51014469

- ▶ Inset box U3, grey



Divider for U3

IB U3 TW Ref. No. 51014470

- ▶ 1 divider in grey for inset box U3.
- The Inset box U3 fits up to 3 dividers.



Complete sets for L-BOXX 102




Set LB 102 TE 5

LB 102 TE 5

Ref. No. 121015564

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Insert for small components LB TE 5-102

Weight: 2.4 kg



Set LB 102 TE 8

LB 102 TE 8

Ref. No. 121015565

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Insert for small components LB TE 8-102

Weight: 2.4 kg



Set LB 102 IBS H3

LB 102 IBS H3

Ref. No. 121015574

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set H3

Weight: 2.9 kg



Set LB 102 TE 12

LB 102 TE 12

Ref. No. 121015566

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Insert for small components LB TE 12-102

Weight: 2.4 kg



Set LB 102 IBS A3

LB 102 IBS A3

Ref. No. 121015567

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set A3

Weight: 2.9 kg



Set LB 102 LSB

LB 102 LSB SET

Ref. No. 121015575

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Foam insert for burner nozzles LSB 102

Weight: 2.1 kg



Set LB 102 IBS B3

LB 102 IBS B3

Ref. No. 121015568

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set B3

Weight: 2.9 kg



Set LB 102 IBS BC3

LB 102 IBS BC3

Ref. No. 121015569

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set BC3

Weight: 2.9 kg



Set LB 102 RS

LB 102 RS SET

Ref. No. 121015576

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Pre-cut foam insert LB RS 102

Weight: 2.2 kg



Set LB 102 IBS CD3

LB 102 IBS CD3

Ref. No. 121015570

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set CD3

Weight: 2.9 kg



Set LB 102 IBS D3

LB 102 IBS D3

Ref. No. 121015571

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set D3

Weight: 2.9 kg



Set LB 102 IBS F3

LB 102 IBS F3

Ref. No. 121015572

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set F3

Weight: 2.9 kg



Set LB 102 IBS G3

LB 102 IBS G3

Ref. No. 121015573

- ▶ L-BOXX 102
- ▶ Lid insert made of high-resistant foam
- ▶ Inset box set G3

Weight: 2.9 kg



**Thomas W.
Qualified painter
and decorator**

"With the new L-BOXX, Sortimo has really come up with a great product. There is now a solution to match every requirement."

"What really convinces me every day anew are the simple click fasteners."



**Oliver K.
Facility Manager**

"In a big school, there is always a lot happening. Student projects need materials on the spot, and repairs crop up time and again."

"The mobile solution with the L-BOXXes is a great help to me and means I don't have to lug all my gear along the long corridors."

**Michael K.
Qualified electrician**

"Whoever has to be on site a lot or make as many customer calls as I do will be delighted with this mobile complete solution."

"The roller frame and the lightweight collapsible caddy are ideal for transporting tools and small components to the site of assignment."



**Ludwig M.
Sheet metal worker**

"I've already had a number of boxes in use but none that is as well thought out as the new L-BOXX."

"They enhance my Sortimo in-vehicle equipment system and make it even more flexible than before."

**Skender A.
Carpenter**

"As a carpenter, I often have to transport the tools and small components boxes from the workshop to the vehicle and then on to the customer and finally back again."

"The new L-BOXXes are perfect for this and ensure quick and efficient work."



**Walter R.
Kitchen fitter**

"It is above all the adapter panel for my trailer that I am enthusiastic about. I can simply dock the L-BOXXes onto the panel without having to worry about exactly where the adapters are."

"Together with the L-BOXX roller frame, this concept is a very convincing one."

Accessories for L-BOXX 136




Document panel 1 for lid
LB DK1 Ref. No. 121015512
 Dim. (WxDxH): 380 x 20 x 315 mm
 The document board is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.




Tool board 1 for lid
LB WK1 Ref. No. 121015615
 Dim. (WxDxH): 380 x 20 x 315 mm
 For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Transparent lid pouch A5
LB KSTD A5 Ref. No. 121015438
 Dim. (WxDxH): 335 x 2 x 206 mm
 Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Pre-cut foam insert 136
LB RS 136 Ref. No. 121015282
 Dim. (WxDxH): 405 x 315 x 85 mm
 Pre-cut foam insert for L-BOXX 136. Individual adaptation of the insert makes the safe transport of valuable tools, etc. possible.



Labelling set
LB BS Ref. No. 121014985
 Dim. (WxH): 297 x 210 mm (DIN A4)
 1 DIN A4 template with 6 self-adhesive perforated labels for L-BOXX 136.

The labelling set with 6 labels for L-BOXX 136, 238 and 374 offers a neat and visually attractive possibility of labelling your different L-BOXXes. The labels are weatherproof and can be printed with a felt-tip pen or laser printer. If you want to computerise the printing process, we offer a labelling template that can be downloaded free of charge:
www.sortimo.com/software

Complete sets for L-BOXX 136



Set LB 136 RS
LB 136 RS SET
Ref. No. 121015577
 ▶ L-BOXX 136
 ▶ Lid insert made of high-resistant foam
 ▶ Pre-cut foam insert LB RS 136
 Weight: 2.5 kg



Set LB 136 WK1
LB 136 WK1 SET
Ref. No. 121015578
 ▶ L-BOXX 136
 ▶ Tool board WK1
 ▶ Inset box set H3
 Weight: 2.6 kg

Accessories for L-BOXX 238




Document panel 1 for lid
LB DK1 Ref. No. 121015512
 Dim. (WxDxH): 380 x 20 x 315 mm
 The document board is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Tool board 1 for lid
LB WK1 Ref. No. 121015615
 Dim. (WxDxH): 380 x 20 x 315 mm
 For installation in the cover of the L-BOXX, with elastic loops and pockets to accommodate tools.



Transparent cover pouch A5
LB KSTD A5 Ref. No. 121015438
 Dim. (WxDxH): 335 x 2 x 206 mm
 Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Labelling set
LB BS Ref. No. 121014985
 Dim. (WxH): 297 x 210 mm (DIN A4)
 1 DIN A4 template with 6 self-adhesive perforated labels for L-BOXX 238.
 See info on page 30

Complete set for L-BOXX 238



Set LB 238 WK1
LB 238 WK1 SET
Ref. No. 121015579
 ▶ L-BOXX 238
 ▶ Tool board WK1
 Weight: 3.1 kg



Accessories for L-BOXX 374



Document panel 1 for lid

LB DK1 Ref. No. 121015512

Dim. (WxDxH): 380 x 20 x 315 mm
The document board is perfect to accommodate pocket calculator, pens, etc. and documents up to size DIN A4.



Tool board 1 for lid

LB WK1 Ref. No. 121015615


Dim. (WxDxH): 380 x 20 x 315 mm
For installation in the lid of the L-BOXX, with elastic loops and pockets to accommodate tools.



Transparent cover pouch A5

LB KSTD A5 Ref. No. 121015438

Dim. (WxDxH): 335 x 2 x 206 mm
Transparent pouch to accommodate operating instructions/manuals on the inside of the lid up to size DIN A5.



Labelling set

LB BS Ref. No. 121014985

Dim. (WxH): 297 x 210 mm (DIN A4)
1 DIN A4 template with 6 self-adhesive perforated labels for L-BOXX 374.

See info on page 30



Tool holder

LB HES 374 Ref. No. 121014894

Wooden holder with handle for carrying carpenter's tools, fits into the L-BOXX 374.



Suspension file insert

LB HRE 374 Ref. No. 121014895

2 metal inserts including fixing elements and assembly instructions for the transport of suspension files in the L-BOXX 374.



Silicon cartridge insert

LB SIKE 374 Ref. No. 121015285

Dim. (WxDxH): 295 x 190 x 95 mm
Designed to accommodate 13 silicon cartridges. 2 of these inserts fit into the L-BOXX 374. Can be combined with a foam cartridge insert.



Foam cartridge insert

LB SKE 374 Ref. No. 121015286

Dim. (WxDxH): 295 x 190 x 95 mm
Designed to accommodate 7 foam cartridges. 2 of these inserts fit into the L-BOXX 374. Can be combined with a silicon cartridge insert.



Complete sets for L-BOXX 374



Set LB 374 HES

LB 374 HES SET Ref. No. 121015580

- ▶ L-BOXX 374
- ▶ Tool holder insert for carpenters LB HES 374
- ▶ Inset boxes 1 x A3, 2 x B3, 2 x C3 and 2 x D33

Weight: 6.2 kg



Set LB 374 HRE

LB 374 HRE SET Ref. No. 121015581

- ▶ L-BOXX 374
- ▶ Document board LB DK1
- ▶ Suspension file insert HRE 374

Weight: 4.5 kg



Set LB 374 SIKE

LB 374 SIKE SET Ref. No. 121015582

- ▶ L-BOXX 374
- ▶ 2 x silicon cartridge inserts LB SIKE 374

Weight: 3.6 kg



Set LB 374 SKE

LB 374 SKE SET Ref. No. 121015583

- ▶ L-BOXX 374
- ▶ 2 x foam cartridge inserts LB SKE 374

Weight: 3.6 kg



L-BOXX®




Systematically better with Sortimo

Hello L-BOXX – welcome home!

Sortimo has succeeded in perfectly integrating a mobile solution into the in-vehicle equipment system! The L-BOXX fits seamlessly into the Globelyst System because it was not only developed as a "stand-alone" product, but also as an integral part of the complete in-vehicle equipment system.

Take advantage of this synergetic effect for even more productive work with your Sortimo in-vehicle equipment system.



Sortimo®



The L-BOXX – fits everywhere

If you already use an in-vehicle equipment system from Sortimo, you can integrate the L-BOXX really easily into your existing configuration. Effective load restraint is now even more simple than before!

Dependent on its size, the L-BOXX fits on all case trays, aluminium floors, open shelves and the M-BOXX rails. You can put the new L-BOXX to work immediately without having to spend time and money on reconfiguring your existing Sortimo equipment.




Hinged handle

Simply flip out the handle, raise the L-BOXX slightly and then pull it out of the Sortimo in-vehicle equipment system. When released, the handle flips back flush with the L-BOXX.

Everything comes full circle

Optimise your work process with the L-BOXX and a professional in-vehicle equipment system from Sortimo. Take the L-BOXXes from your workshop to your commercial vehicle – from the vehicle to the customer – and then back again to the vehicle. You can then comfortably replace the L-BOXXes in your workshop in the evening.





The disorder and chaos of yesterday ...

... turns into the order and perfect load restraint of today!



There are many transport boxes on the market that try to meet the challenge of changing requirements. But the new L-BOXX from Sortimo has what it takes:

- ▶ The entire L-BOXX family is compatible and can be clicked together.
- ▶ Variability brought about by many branch-specific inserts.
- ▶ Intelligent mobility provided by the L-BOXX caddy and roller frame.
- ▶ Load restraint brought about by perfect integration into the top-ranking Sortimo in-vehicle equipment system.

Sortimo®

The L-BOXXes

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
9	L-BOXX 102	LB 102	121014674			
9	L-BOXX 136	LB 136	121014675			
9	L-BOXX 238	LB 238	121014676			
9	L-BOXX 374	LB 374	121014677			

General accessories for L-BOXXes

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
22	L-BOXX roller frame (load capacity 125 kg)	LB ROLL	121015412			
22	Collapsible Alu-Caddy (load capacity 125 kg)	ZCAKL	801014905			
22	Restraint strap for alu caddy	LB FG ACK	121015440			
22	Restraint strap for L-BOXX roller frame	LB FG ROLL	121015519			
22	Adapter	LB EHA	121014679			
22	Adapter panel 20-36	LB AP 20-36	121014891			
22	Adapter panel 20-54	LB AP 20-54	121014892			
22	Seat cushion for L-BOXX lid	LB SPD	121015436			
22	Worktop for L-BOXX lid	LB APD	121015518			

Accessories for L-BOXX 102

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
23	High-resistant foam lid insert	LB DE102	121014678			
23	Tool board 1 for lid	LB WK1	121015615			
23	Document panel 1 for lid	LB DK1	121015512			
23	Transparent pouch for lid DIN A5	LB KSTD A5	121015438			
23	Small components insert with 5 troughs	LB TE 5-102	121014900			
23	Small components insert with 8 troughs	LB TE 8-102	121014901			
23	Small components insert with 12 troughs	LB TE 12-102	121014904			
23	Labelling set 102	LB BS 102	121014984			
23	Foam insert for burner nozzles	LB LSB 102	121015609			
23	Pre-cut foam insert for L-BOXX 102	LB RS 102	121015281			

WB 1015553 / 07.2009

Company _____

Name, First name _____

Street _____ Post Code _____ City _____

Tel. _____ Fax _____

E-mail _____

Branch of business _____

Accessories for L-BOXX 102

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
24	L-BOXX inset box set A3	LB IBS A3	51015300			
24	L-BOXX inset box set B3	LB IBS B3	51015301			
24	L-BOXX inset box set BC3, mixed	LB IBS BC3	51015302			
24	L-BOXX inset box set CD3, mixed	LB IBS CD3	51015303			
24	L-BOXX inset box set D3	LB IBS D3	51015304			
24	L-BOXX inset box set F3	LB IBS F3	51015306			
24	L-BOXX inset box set G3, mixed	LB IBS G3	51015307			
24	L-BOXX inset box set H3, mixed	LB IBS H3	51015299			
24	L-BOXX inset box U3 grey	IB U3	51014469			
24	L-BOXX divider in grey for inset box U3	IB U3 TW	51014470			

Complete sets for L-BOXX 102

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
26	L-BOXX set 102 TE 5	LB 102 TE 5	121015564			
26	L-BOXX set 102 TE 8	LB 102 TE 8	121015565			
26	L-BOXX set 102 TE 12	LB 102 TE 12	121015566			
26	L-BOXX set 102 IBS A3	LB 102 IBS A3	121015567			
26	L-BOXX set 102 IBS B3	LB 102 IBS B3	121015568			
26	L-BOXX set 102 IBS BC3	LB 102 IBS BC3	121015569			
26	L-BOXX set 102 IBS CD3	LB 102 IBS CD3	121015570			
26	L-BOXX set 102 IBS D3	LB 102 IBS D3	121015571			
26	L-BOXX set 102 IBS F3	LB 102 IBS F3	121015572			
26	L-BOXX set 102 IBS G3	LB 102 IBS G3	121015573			
27	L-BOXX set 102 IBS H3	LB 102 IBS H3	121015574			
27	L-BOXX set 102 LSB	LB 102 LSB SET	121015575			
27	L-BOXX set 102 RS	LB 102 RS SET	121015576			

WB 1015553 / 07.2009

Company _____

Name, First name _____

Street _____ Post Code _____ City _____

Tel. _____ Fax _____

E-mail _____

Branch of business _____

Accessories for L-BOXX 136

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
30	Tool board 1 for lid	LB WK1	121015615			
30	Document panel 1 for lid	LB DK1	121015512			
30	Transparent pouch for lid DIN A5	LB KSTD A5	121015438			
30	Labelling set L-BOXX	LB BS	121014985			
30	Pre-cut foam insert LB 136	LB RS 136	121015282			

Complete sets for L-BOXX 136

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
30	L-BOXX set 136 RS SET	LB 136 RS SET	121015577			
30	L-BOXX set 136 WK1	LB 136 WK1 SET	121015578			

Accessories for L-BOXX 238

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price
30	Tool board 1 for lid	LB WK1	121015615			
30	Document panel 1 for lid	LB DK1	121015512			
31	Transparent pouch for lid DIN A5	LB KSTD A5	121015438			
31	Labelling set L-BOXX	LB BS	121014985			

Complete set for L-BOXX 238

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
31	L-BOXX set 238 WK1	LB 238 WK1 SET	121015579			

WB 1015553 / 07.2009

Company _____

Name, First name _____

Street _____ Post Code _____ City _____

Tel. _____ Fax _____

E-mail _____

Branch of business _____

Accessories for L-BOXX 374

Page	Article	Code	Ref. No.	Unit-price €	Order quantity	Total price €
32	Tool board 1 for lid	LB WK1	121015615			
32	Document panel 1 for lid	LB DK1	121015512			
32	Transparent pouch for lid DIN A5	LB KSTD A5	121015438			
32	Labelling set L-BOXX	LB BS	121014985			
32	Tool holder for carpenters L-BOXX 374	LB HES 374	121014894			
32	Suspension file insert L-BOXX 374	LB HRE 374	121014895			
32	Silicon cartridge insert L-BOXX 374	LB SIKE 374	121015285			
32	Foam cartridge insert L-BOXX 374	LB SKE 374	121015286			

Complete sets for L-BOXX 374

Page	Article	Code	Ref. No.	Uni price €	Order quantity	Total price €
33	L-BOXX set 374 HES	LB 374 HES SET	121015580			
33	L-BOXX set 374 HRE	LB 374 HRE SET	121015581			
33	L-BOXX set 374 SIKE	LB 374 SIKE SET	121015582			
33	L-BOXX set 374 SKE	LB 374 SKE SET	121015583			

WB 1015553 / 07.2009

Company _____

Name, First name _____

Street _____ Post Code _____ City _____

Tel. _____ Fax _____

E-mail _____

Branch of business _____

INFO-VOUCHER



Simply fill in the form and fax it back to Sortimo: +49 8291 850-250

Please send me more information and catalogues free of charge and without obligation:

- L-BOXX video on DVD
- Complete product range
- TopSystem roof rack brochure
- Vehicle brochure(s) for:

- | | | | |
|--|---------------------------------|--|----------------------------------|
| <input type="checkbox"/> Citroën | <input type="checkbox"/> Fiat | <input type="checkbox"/> Ford | <input type="checkbox"/> Iveco |
| <input type="checkbox"/> Mercedes-Benz | <input type="checkbox"/> Nissan | <input type="checkbox"/> Opel/Vauxhall | <input type="checkbox"/> Peugeot |
| <input type="checkbox"/> Renault | <input type="checkbox"/> Toyota | <input type="checkbox"/> Volkswagen | |

I would like a free subscription to the **Sortimo Newsletter**

My e-mail address is:

I would like to learn more about Sortimo's **in-vehicle equipment**.

Please call me to arrange a non-binding **appointment** on _____ at _____ o'clock.

I am interested in the smallest in-vehicle equipment unit for station wagons, full-size sedan cars, all-terrain vehicles and minivans.

For vehicle _____

Please send me detailed information on the **Sortimo CarMo**.

- I agree to receive information by post from you (until further notice) about interesting products.
- I agree to receive information by e-mail from you (until further notice) about new products and interesting new developments.

My e-mail address is: _____

Thank you very much for your interest. We look forward to hearing from you!

Company _____

Name, First name _____

Street _____ Post Code _____ City _____

Tel. _____ Fax _____

E-mail _____

Branch of business _____

WB 1015553 / 07.2009



NEW



The perfect Combination

The L-BOXX in your station wagon

CarMo – the smallest in-vehicle equipment unit for your estate wagon or full-size sedan car. Simply install the lightweight CarMo base plate in your vehicle, stow the L-BOXXes on the base plate and anchor them securely in position.

Because the base plate takes up hardly any space, it is the perfect solution for all field staff who need to transport material and samples safely without sacrificing valuable space in the trunk.



WWW.L-BOXX.COM



Telephone

+49 8291 850-0



E-mail

direct@sortimo.com



Fax

+49 8291 850-250



Internet

www.sortimo.com

Sortimo®

Sortimo International GmbH

Dreilindenstraße 5 · 86441 Zusmarshausen
DEUTSCHLAND

Tel. +49 8291 850-0 · Fax +49 8291 850-250

E-mail info@sortimo.com · www.sortimo.com

Sortimo®
inside